

SECTION 1: CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name L'ANZA HEALING STYLE SCULPTING PASTE
Distributed By DAVEXLABS, LLC
720 Wilshire Blvd., Suite 200
Santa Monica, CA 90401

Product Code # N/A
Recommended Use Hair Styling / Personal Care / Cosmetics
CAS # N/A

Manufacturer Address Bright Innovation Labs
9200 Smith's Mill Rd.
New Albany, OH 43054

Phone 614-741-7458
Emergency Contact For all emergencies, call Velocity EHS (24 Hours/7 Days): 1-800-255-3924
International: 00-1-813979-0626
For all SDS questions or requests call: 1-614-741-7458

SECTION 2: HAZARD(S) IDENTIFICATION

Hazard Classifications: None

Pictograms: None

Precautionary Statements: None

Percent of the mixture consisting of ingredient(s) of unknown toxicity: N/A

SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Designation (INCI)	% Composition	CAS	EINECS
Aqua (Water, Eau)	≤ 68	7732-18-5	231-791-2
Petrolatum	5 - 10	68411-27-8	270-112-4
Ozokerite	'1 - 5	12198-93-5	N/A
Vinyl Caprolactam/VP/Dimethylaminoethyl Methacrylate Copolymer	1 - 5	102972-64-5	N/A
VP/VA Copolymer	'5 - 10	25086-89-9	N/A
Glyceryl Stearate	1 - 5	11099-07-3	234-325-6
PEG-100 Stearate	1 - 5	9004-99-3	N/A
Cetearyl Alcohol	1 - 5	67762-27-0	267-008-6
Butylene Glycol	1 - 5	107-88-0	203-529-7
Caprylic/Caprric Triglyceride	1 - 5	65381-09-1	265-724-3
Sodium Acrylates Copolymer	1 - 5	25549-84-2	N/A
PEG-40 Hydrogenated Castor Oil	1 - 5	61788-85-0	N/A
PEG-40 Castor Oil	'1 - 5	61791-12-6	N/A
Propylene Glycol Dibenzoate	'1 - 5	19224-26-1	242-894-7
Fragrance	0.010 - 1.00	N/A	N/A
Trade Secret	0.010 - 1.00	N/A	N/A

SECTION 4: FIRST AID MEASURES

- Eyes:** If irritation or redness due to vapors develops, move victim away from exposure and into fresh air. If material gets into the eyes, flush eyes immediately with clean water for at least 15 minutes. If available, use eye-cups or eye wash fountain. If symptoms persist, get medical attention.
- Skin:** If irritation develops / persists, get medical attention.
- Inhalation:** If respiratory symptoms develop, move victim away from source of exposure and into fresh air. If symptoms persist, get medical attention. If victim is not breathing immediately begin artificial respiration. Get medical attention.
- Ingestion:** Product is not likely to be ingested. If this occurs, treat systematically. Never give fluids or induce vomiting if the victim is unconscious or having convulsions.

SECTION 5: FIRE FIGHTING MEASURES

- Fire Hazard:** Material may be ignited, for example in a fire. Relative hazard is anticipated to be the same as typical combustible materials.
Use foam, carbon dioxide, and dry chemical or water spray when fighting fires.
- Flash Point F(C):** N/A
- Flammable Limits:** Product is not known to be flammable, combustible or explosive.
- Extinguishing Media:** Use foam, carbon dioxide, and dry chemical or water spray when fighting fires

Special protective Equipment and firefighting procedures: In case of fire, use normal firefighting equipment including a NIOSH approved self-contained breathing apparatus (SCBA). Use water to cool containers

Unusual Fire & Explosion: N/A

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions: See Section 8.

Spills/ Leaks: **SPILL ON LAND (LARGE SPILL):** Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without risk. Minimize breathing of vapors and skin contact. Ventilate confined spaces. For small spills implement the following cleanup procedures: Prevent material from entering sewers, watercourses, or low areas. Contain spilled material with sand or earth. Do not use combustible materials such as sawdust. Observe precautions for volatile, combustible vapors from absorbed material. For large spills implement the preceding cleanup procedures and, if in public area, keep public away and advise authorities. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

SPILL ON WATER (LARGE SPILL): Eliminate sources of ignition. Warn occupants and shipping in surrounding and downwind areas of fire and explosion hazard and request all to stay clear. Remove from surface by skimming or scooping up floating material. Consult an expert on disposal of recovered material and ensure conformity to local disposal regulations.

SMALL SPILLS: Leaking containers should be placed in open containers, outdoors, away from any source of ignition, until all pressure has been released.

SECTION 7: HANDLING & STORAGE

Handling: **STORAGE TEMPERATURE:** Ambient
LOADING/UNLOADING TEMPERATURE: Ambient
STORAGE AND HANDLING: Keep container closed. Handle and open containers with care. Store in a cool, well-ventilated place away from incompatible materials. DO NOT handle or store near an open flame, heat, or other source of ignition. DO NOT pressurize, cut, heat, or weld empty containers. DO NOT reuse containers.

Storage: **STORAGE TEMPERATURE:** Ambient
LOADING/UNLOADING TEMPERATURE: Ambient
STORAGE AND HANDLING: Keep container closed. Handle and open containers with care. Store in a cool, well-ventilated place away from incompatible materials. DO NOT handle or store near an open flame, heat, or other source of ignition. DO NOT pressurize, cut, heat, or weld empty containers. DO NOT reuse containers.

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limits:
OSHA Permissible Exposure Limits (PELs) : N/A
Threshold Limit Values (TLVs): N/A

Engineering Controls: N/A

Personal Protective Equipment:

Face: None required.
Eyes: Not necessary, except as a good industrial practice.
Skin: Not necessary, except as a good industrial practice.

Respiratory: Not required.

Pictograms:**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

Appearance: Smooth Viscous Cream		Upper Flammability/Explosive Limit:	N/A
Odor: Floral		Lower Flammability/Explosive Limit:	N/A
pH value @ 25°C: 6.00 – 6.80		Vapor Pressure:	N/A
Melting Point F(C): N/A		Vapor Density:	
Freezing Point F(C): N/A		Vapor Temperature:	N/A
Boiling Point F(C): N/A		Relative Density/Specific Gravity (@ 25°C):	0.95 – 1.00
Boiling Range: N/A		Solubility:	N/A
Flash Point F(C): N/A		Partition Coefficient:	N/A
Flash Point Method used: N/A		Auto-ignition temperature:	N/A
Evaporation Rate: N/A		Decomposition temperature:	N/A
Flammability: N/A		Viscosity (@ 25°C):	2,300,000 – 3,500,000 cps

SECTION 10: STABILITY AND REACTIVITY

Chemical Reactivity: N/A
Chemical Stability: Stable under normal conditions of storage and handling.
Conditions to Avoid: Keep from freezing.
Materials to Avoid: None known.
Hazardous Decomposition: Will not occur.

SECTION 11: TOXICOLOGICAL INFORMATION**Inhalation**

Description of effects from short- and long-term exposure:

Not known

Description of symptoms:

Not known

Measure of toxicity:

Not known

Ingestion

Description of effects from short- and long-term exposure:

Not known

Description of symptoms:

Not known

Measure of toxicity:

Not known

Eyes

Description of effects from short- and long-term exposure:

Not known

Description of symptoms:

Not known

Measure of toxicity:

Not known

Skin

Description of effects from short- and long-term exposure:

Not known

Description of symptoms:

Not known

Measure of toxicity:

Not Known

Carcinogens listing:

NTP: Not Available

IARC: Not Available

OSHA: Not Available

GHS: Not Available

Chronic Toxicity: Not Available

SECTION 12: ECOLOGICAL INFORMATION

Aquatic Toxicity: Not Available

Biodegradability: Not Available

Bioaccumulation: Not Available

SECTION 13: DISPOSAL CONSIDERATION

All recovered material should be packaged, labeled, transported, disposed, and reclaimed in conformance with local, county, state, and federal regulations. May be disposed of by controlled incineration. Do not contaminate any lakes, streams, ponds, or underground water supplies.

Empty containers may be disposed of as normal refuse. Recycle whenever possible.

SECTION 14 : TRANSPORT INFORMATION

Land transport U.S. DOT (All sizes)**Proper Shipping Name:** Not Regulated**Hazard Class:** Not Regulated**UN Number:** Not Applicable**Packaging Group:** Not Applicable**Description of Goods:** Not Applicable**Maritime transport IMDG:** Not Applicable**IMDG Class:** Not Applicable**UN Number:** Not Applicable**Label:** Not Applicable**Packaging Group:** Not Applicable**EMS Number:** Not Applicable**Marine Pollutant:** Not Applicable**Proper Shipping Name:** Not Applicable**Air transport ICAO-TI and IATA-DGR:****ICAO/IATA Class:** Not Applicable**UN/ID Number:** Not Applicable**Label:** Not Applicable**Packaging Group:** Not Applicable**Proper Shipping Name:** Not Applicable

SECTION 15: REGULATORY INFORMATION

Additional Regulatory Information:

UNITED STATES:

Toxic Substances Control Act (TSCA) Inventory of Existing Chemical Substances:	NONE
--	------

Superfund Amendments and Reauthorization Act (SARA) Title III:

Hazard Categories Sections 311/312 (40 CFR 370.2):

Health:	NONE
Physical:	NONE

Emergency Planning & Community Right to Know (40 CFR 355, App. A):

Extremely Hazardous Substance Section 302 - Threshold Planning Quantity:

N/A

Reportable Quantity (40 CFR 302.4):


N/A

California Right-to-Know Regulations (Prop. 65)

NONE

SECTION 16: OTHER INFORMATION

NFPA



HMIS

DAVEX LAB HEALING STYLE SCULPTING PASTE	
HEALTH	1
FLAMMABILITY	0
REACTIVITY	0
PERSONAL PROTECTION	B

HAZARD RATING SYSTEMS: This information is for people trained in: National Paint & Coatings Association's (NPCA) Hazardous Materials Identification System (HMIS) and/or National Fire Protection Association (NFPA 704) Identification of the Fire Hazards of Materials.

NPCA-HMIS NFPA 704 KEY: NPCA-HMIS/NFPA 704

HEALTH	1	0	4=Severe/Extreme
FLAMMABILITY	0	0	3=Serious/High
REACTIVITY	0	0	2=Moderate/Moderate
			1=Slight/Slight
			0=Minimal/Insignificant

ADDITIONAL INFORMATION

NOTE: The information presented herein for this product or its components has been compiled from different supplier sources considered to be dependable and accurate to the best of our knowledge as to the proper use and handling of this product under normal conditions. However, no representation, warranty, or guarantee is made as to its accuracy, reliability, or completeness. It is the user's responsibility to satisfy himself as to the suitability and completeness of such information for his own particular use. We do not accept liability for any loss or damage that may occur from the use of this information. Any use of this product which is not in conformance with this SDS or which involves using the product in combination with any other product or any process is the responsibility of the user.

EXPLANATION OF ABBREVIATIONS:

CAS# - Chemical Abstract System No.
 EINECS# - European Inventory of Existing Chemical Substance
 DOT - Department Of Transportation
 IMDG - International Maritime Dangerous Goods
 N/A - Not Applicable
 HMIS - Hazardous Material Identification System
 NFPA - National Fire Protection Association
 OSHA - Occupational Safety and Health Administration
 EMS- Environmental Management System
 ICAO-TI - International Civil Aviation Organization Technical Instructions
 IATA - DGR - International Air Transport Association Dangerous Goods Regulations
 SARA - Superfund Amendments and Reauthorization Act Title I, II, III

The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. Bright Innovation Labs makes no expressed or implied warranty of merchantability or fitness for a particular purpose, performance or usage of trade. The above information is based on the present state of our knowledge of the product at the time of publication. No warranty is implied with respect to the quality or the specification of the product and the user must satisfy oneself that the product is entirely suitable for one's purposes.

DISCLAIMER This SDS is intended to provide a brief summary of our knowledge and guidance regarding the use of this material. The information contained here has been compiled from sources considered by Bright Innovation Labs to be dependable and is accurate to the best of the company's knowledge. The information is offered in good faith. Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage, or release to the environment. Bright Innovation Labs assumes no responsibility for injury to the recipient or third persons, or for any damage to any property resulting from misuse of the product.

Due to remote possibility that electronic transfer may have resulted in errors, omissions or alterations in this information, Bright Innovation Labs makes no representations as to its completeness or accuracy. Information obtained from a database may not be as current as the information in the SDS available directly from Bright Innovation Labs.